

**Amendments to the Claims**

This listing of claims will replace all prior versions and listings of claims in the Application.

1 to 25. (Canceled)

26. (Currently Amended) ~~The method of Claim 25, wherein~~ A method for repairing a defect area at the gradient junction of cartilaginous tissue and bony tissue, comprising the steps of:

providing a composite scaffold with a porous ceramic phase, a porous polymer phase, the polymer phase attached to the ceramic phase at an interphase region where the polymer phase is at least partially infused into the ceramic phase mechanically interlocking the ceramic and polymer phases, with the porosity of the ceramic and polymer phases communicating;

boring a receptacle space in the gradient junction at the site of the injury to receive the scaffold, the gradient junction is being that of articular cartilage; and

placing and securing the scaffold in the receptacle space with the ceramic phase adjacent to the bony tissue and the polymer phase adjacent to the cartilaginous tissue.

27. (Currently Amended) ~~The method of Claim 25, wherein~~ A method for repairing a defect area at the gradient junction of cartilaginous tissue and bony tissue, comprising the steps of:

providing a composite scaffold with a porous ceramic phase, a porous polymer phase, the polymer phase attached to the ceramic phase at an interphase region where the polymer phase is at least partially infused into the ceramic phase mechanically interlocking the ceramic and polymer phases, with the porosity of the ceramic and polymer phases communicating;

boring a receptacle space in the gradient junction at the site of the injury to receive the scaffold, the gradient junction is being that of a spinal disc; and

placing and securing the scaffold in the receptacle space with the ceramic phase adjacent to the bony tissue and the polymer phase adjacent to the cartilaginous tissue.

28. (Currently Amended) ~~The method of Claim 25, wherein~~ A method for repairing a defect area at the gradient junction of cartilaginous tissue and bony tissue, comprising the steps of:

providing a composite scaffold with a porous ceramic phase, a porous polymer phase, the polymer phase attached to the ceramic phase at an interphase region where the polymer phase is at least partially infused into the ceramic phase mechanically interlocking the ceramic and polymer phases, with the porosity of the ceramic and polymer phases communicating;

boring a receptacle space in the gradient junction at the site of the injury to

Application No. 09/892,993  
Amendment dated: October 13, 2005  
Reply to Office Action mailed July 13, 2005

receive the scaffold, the gradient junction is being that of the meniscus; and  
placing and securing the scaffold in the receptacle space with the ceramic  
phase adjacent to the bony tissue and the polymer phase adjacent to the cartilaginous  
tissue.